## EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	965	(417/360).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/06/19 09:50
S2	382	(417/423.15).OCLS.	US-PGPUB; USPAT	OR	OFF	2008/06/19 09:53
83	805	(417/423.14).OCLS.	US-PGPUB; USPAT	OR	OFF	2008/06/19 09:53
S4	0	S1 S2 S3 motor control pump screw	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2008/06/19 09:54
S5	0	S1 S2 S3 (motor control pump screw)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2008/06/19 09:54
S6	16	S1 82 83	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2008/06/19 09:54
S7	72635	motor control pump screw	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2008/06/19 09:55
S8	0	S6 S7	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2008/06/19 09:55
S9	72651	S6 S7	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/06/19 09:55
S10	694	(417/423.1).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/06/19 10:00
S11	501	(417/423.7).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/06/19 10:00
S12	77	S10 S11	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2008/06/19 10:01
S13	56	S12 control	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2008/06/19 10:02
S14	54	S13 motor	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2008/06/19 10:02

S15	37	S14 pump	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2008/06/19 10:02
S16	15	S15 screw	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2008/06/19 10:02
S17	6	S16 (step or groove or hand or chamfer)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2008/06/19 10:03
S18	1	S17 (housing with control)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2008/06/19 10:03
S19	13	("4722669"   "5238362"   "5368446"   "5380171"   "5443368").PN. OR ("5971725"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/06/19 10:04
S20	2	("5971725"   "6644938") .PN. OR ("6991439") .URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/06/19 10:04
S21	1939	(417/360,423.15,423.14).OOLS.	US-PGPUB; USPAT	OR	OFF	2008/06/19 10:05
S22	578	S21 control	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2008/06/19 10:05
S23	500	S22 motor	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2008/06/19 10:06
S24	344	S23 pump	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2008/06/19 10:06
S25	140	S24 screw	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2008/06/19 10:06
S26	100	S25 (step or groove or chamfer or hand)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2008/06/19 10:07
\$27	29	S26 (housing with control)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2008/06/19
S28	10	S27 (seal\$4 with (step or groove or chamfer or hand))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2008/06/19 10:08

S29	2	S26 sealant	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2008/06/19 10:08
S30	16	S25 iron	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2008/06/19 10:09
S31	45	S21 stator (frame or housing) "press fit"	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2008/06/19 10:10
S32	17		US-PGPUB; USPAT; USOCR	AND	ON	2008/06/19 10:10
S33	3715	takano.in.	US-PGPUB; USPAT; USOCR	AND	ON	2008/06/19 10:12
S34	15513	tadashi.in.	US-PGPUB; USPAT; USOCR	AND	ON	2008/06/19 10:12
S35	71	S33 S34	US-PGPUB; USPAT; USOCR	AND	ON	2008/06/19 10:12

## 6/19/2008 1:21:18 PM

C:\ Documents and Settings\ vdwivedi\ My Documents\ EAST\ Workspaces\ 10790123\_Electro hydraulic power steering aparatus.wsp